

this product information has been extracted from

the heat book

CAMPAVER RANGE

Tel: 0845 600 5111

Fax: Customer Care: 01489 773053

Email: customer.services@glendimplex.com

Website: www.dimplex.co.uk

NEW

bathroom radiators

the Campaver range

Campaver adds a new dimension to comfort and style, blending innovative heating technology with quality and sophistication.

Range features

- Contemporary glass construction, available in black, white or tinted mirrored finishes.
- Accented by chrome rails for towel hanging.
- Electric radiant heating technology with supplementary surface heating film provides optimum combination of radiant and convected heat.
- Additional fan boost for rapid temperature increase.
- 1200W/1600W outputs available.
- Integrated electronic room temperature and run back timer controlled fan boost.
- 2 year guarantee.



Model CMV1200W



Model CMV1200B

technical specifications

Integrated Controls

The electronic (room temperature sensing) thermostat dial, controls the two radiant heat sources. Runback timer control provides instant heat via the concealed fan at the base of the unit and the integral elements, overriding the thermostat setting for the selected period of time. Timed boost setting can be selected in intervals up to 120mins, at minute intervals. This boost provides maximum heat output from radiant elements, providing both rapid room heating and highly effective towel drying.

Multiple Heat Sources

Highly efficient aluminium radiant element and thin surface heating film work together to provide rapid warm-up and even heat distribution across the surface of the glass resulting in optimum comfort. The Fan boost setting provides instantaneous heat, overriding thermostatic settings for selected time period.

Filter

Washable filter ensures a healthier bathroom environment. Access to filter is protected by a child-lock facility.

Guarantee

2 years.

IP Rating

Splashproof IPX4 rated for use in wet areas.

Installation

Detachable wall mounting frame.

Electrical Connections

1.2m, 4-core cable (live, neutral, earth and pilot wire) supplied fitted to each heater.


Colour/Finish

White casing – white glass.

White casing – tinted, mirrored glass.

Black casing – black glass.

Main Dimensions



Model CMV1600R

Model	Radiant Output W	Fan Output W	Total Output W	Height mm (A)	Width mm (B)	Depth mm (C)	Weight kg	Finish
CMV1200B	600	600	1200	1202	352+54	113+67	16	Black
CMV1600B	1000	600	1600	1502	427+54	113+67	22	Black
CMV1200W	600	600	1200	1202	352+54	113+67	16	White
CMV1600W	1000	600	1600	1502	427+54	113+67	22	White
CMV1200R	600	600	1200	1202	352+54	113+67	16	Mirror
CMV1600R	1000	600	1600	1502	427+54	113+67	22	Mirror

Heat conversion: watts x 3.142 = Btu/hr

After Sales Service

After sales service if required is absolutely no problem with Dimplex – we have a network of appointed Service Agents spread throughout the Country who are qualified and trained to repair or service any of our appliances.

Bathrooms

Any electrical appliances installed in a bathroom should be fitted by a competent electrician in accordance with the current I.E.E. Regulations.

Portable heaters are NOT suitable for use in a bathroom.

Unless otherwise specified in this brochure, heaters that can be permanently fixed have to be so mounted that any controls cannot be reached by a person using a bath or shower. This restriction does not apply to Dimplex heated towel rails, which do not have controls.

Safety

Dimplex products are designed to comply with EN60335 the British Standard covering the safety requirements of electric heating appliances, and momentary contact with any part of the heater should not cause injury. However, in order to be effective, heaters or towel rails of any type do get hot especially (if applicable) around the air outlet grille. Therefore if aged or infirm persons, or young children, are likely to be left unsupervised in the vicinity of a heater we advise that precautions should be taken. We recommend that a guard is fitted around the heater, as is normal with many types of heating appliance in similar circumstances, to ensure contact with the heater is avoided and objects cannot be inserted into the product.

(Please see page 36 for details of accessory guards.)

Heating appliances should never be covered or positioned where objects may fall onto them.

Specifications

Dimplex policy is one of continuous improvement; the Company therefore reserves the right to alter specifications without notice. Although every care has been taken in the reproduction of product finishes in this brochure, the colour photographs should be taken only as a guide. The information contained in this brochure is correct at the time of printing. You are advised to consult your dealer before purchasing.

Plugs

All portable appliances are supplied with a fitted plug.

British Electrotechnical Approvals Board BEAB Approved



The mark of the British Electrotechnical Approvals Board signifies that the appliance bearing it has been produced to the stringent safety requirements for domestic electrical appliances as laid down in EN60335.

CE Mark



Products carrying the CE mark comply with European safety standards and the European Standard for electro-magnetic compatibility.

Installation Guidance

This brochure is designed to assist you with your choice of Dimplex products and it is not intended as an installation guide.

For safety, products should only be installed by a competent person, in accordance with current regulations and the manufacturers instructions. If you require further advice concerning the installation of our products – especially where the installed dimensions may be critical to your choice and the location of the product – please contact our Customer Care on 0845 600 5111 or consult your installer.

Please note that the dimensions contained within this brochure do not in all cases include clearances required around installed products for safe operation.


Useful Numbers

Tel: 0845 600 5111
Fax: Customer Care: 01489 773053
Brochure line: 01489 773063
Main Reception: 01489 773050
Email: customer.services@glendimplex.com
Websites: www.dimplex.co.uk
www.dimplex-resource.co.uk



© Glen Dimplex UK Limited

All rights reserved. Material contained in this publication may not be reproduced in whole or in part, without prior permission in writing from Glen Dimplex UK Limited.
All Optiflame fires are protected by patent nos GB2230335, AU621713, USA4965707, IE63651 and NZ232435.

Printed on  accredited paper (from sustainable sources).

Dimplex®
Making life comfortable

Glen Dimplex UK Limited, Millbrook House, Grange Drive, Hedge End, Southampton, SO30 2DF
For Northern Ireland please contact – Glen Dimplex N.I. Limited, Unit No. 24, Seagoe Industrial Estate, Portadown, Craigavon, Co. Armagh, BT63 5TH. Telephone: 02838 337317

Designed and produced by Carrington Caunter Associates Limited, Christchurch (Bournemouth). Telephone 01202 499612

D1267/0207